


FUJI METAL LOCATOR

F-90M

The advanced design of the F-90M Locator contains a re-set function for storing and comparing measurements eliminating the need for adjustment of sensitivity.

The F-90M includes a waterproof search antenna that can locate metal objects under more than a foot of water.






Instruments for the location of underground utilities and water leaks.

FUJI TECOM INC.

FUJI METAL LOCATOR

F-90M



FEATURES

- Large indicator meter of high sensitivity.
- Re-set function eliminating the need to pre-adjust sensitivity.
- Waterproof search antenna capable of locating objects under water.
- High-soil conductivity function which minimizes the ground influence that can cause ghost effects or the appearance of ghost objects.
- Optional headphones are available. These are particularly useful on a site with background noise or windy conditions.
- Lightweight and collapsible, the F-90M is easy to carry and store.

CONSTRUCTIONS

- The F-90M comes completely with a built-in amplifier, indicator meter and telescopic antenna.
- The F-90M includes :
 - Soft carrying case
 - Instruction manual
- Optimal accessories available :
 - Headphones

SPECIFICATIONS

- | | |
|------------------------------|--|
| • Frequency | : 9.7 kHz |
| • Power & Sensitivity Switch | : Battery check and Sensitivity adjustment |
| • Indicator | : Speaker and Indicator meter |
| • Power | : Type AA (LR6) dry battery×4pcs.(6V) |
| • Battery Life | : 40 hours on manganese alkaline cells |
| • Operating temperature | : 0°C ~ + 60°C |
| • Detectable Depth | : 40cm (15 3/4") for a steel disc 10cm (3.9") dia.
60cm (23 1/2") for a steel disc 18cm (7") dia. |
| • Weight | : 1.7kg (3.7lbs.) |
| • Dimensions | |
| Amplifier | : 170mm×195mm×60mm (6.7"×7.7"×2.4") |
| Antenna | : φ 270mm×25mm (10.6" dia.×9") |

We reserve the right to change specifications without prior notice.



Instruments for the location of underground utilities and water leaks.

FUJI TECOM INC.

Head office : 2-20, Kanda Sakuma-cho, Chiyoda-ku, Tokyo 101-0025, Japan
TEL : +81-3-3862-3196 FAX : +81-3-3866-1979
Web Site : <http://www.fujitecom.com/>
E-Mail : kaigai@fujitecom.co.jp

Branch office : Sapporo, Sendai, Tokyo, Shinetsu, Nagoya, Osaka
Hiroshima, Kyushu

Technical development & training center : Niiza

AGENT